

Seamless Indoor – Outdoor Navigation

Anmol Khare, Aman

Computer Science and Engineering Sharda University
Greater Noida, India
2021487302.aman@ug.sharda.ac.in

Abstract- Seamless navigation between indoor and outdoor environments has become increasingly important in a world where accurate positioning and real-time location-based services are essential for applications ranging from autonomous vehicles to smart cities. This paper aims at giving an overview of the modern technology that is used in outdoor and indoor navigation and these include the GPS and GNSS for the outdoors and the Wi-Fi, Bluetooth, and RFID for the indoors respectively. The analysis of hybrid solutions reveals that sensor fusion, geofencing and multi-sensor tracking can become the solutions for transitions between indoors and outdoors conditions. The current developments in AI based algorithms, 5G network and visual positioning systems are all presented in relation to their impacts in enhancing navigation. As it stands, there are drawbacks that are often encountered, these include; Interference, they are not accurate at all times, and lastly there are privacy issues. Finally, this paper concludes with future direction based on futuristic technology like 6G AI and IoT for seamless navigation and possible application such as autonomous vehicle applications like augmented reality and smart city infrastructure. The use of these innovations will enhance the efficacy of integrated navigation systems to its ultimate potential, particularly in the context of addressing the requirements of ‘smart’ cities, redefining urban and transport logistics and conceptualizing the user experience.

Keywords—Navigation, GPS, Wi-Fi, Hybrid navigation, 5G, AI- driven Navigation, IoT.

I. INTRODUCTION

Navigation technologies have become indispensable in modern life, influencing a wide range of applications from everyday smartphone usage to advanced logistics and autonomous systems. Outdoor navigation, largely powered by Global Positioning System (GPS) and other satellite-based systems, has been highly effective in providing accurate and reliable positioning data. These technologies have revolutionized how people and goods move through outdoor environments, enabling services such as real-time mapping, location-based services, and enhanced communication between devices. However, as human activity increasingly takes place within complex indoor environments, from shopping malls to airports, there is a growing need for navigation systems that operate seamlessly across both indoor and outdoor spaces.

One essential issue in this context is the switch between different positioning technologies, e. g., from outdoor systems such as GPS (Global Positioning System) or the cell-based GSM (Global system for mobile communication)/UMTS

(Universal Mobile Telecommunications System) to indoorsystems such as infrared or Bluetooth and vice versa.[1] The lack of a unified, integrated solution that seamlessly bridges the transition between these environments has created a significant technical and practical barrier.

This review aims to evaluate the current state of research and technological development in seamless indoor and outdoor navigation. It explores a range of existing solutions and advancements, including hybrid technologies, sensor fusion, and the integration of cutting-edge innovations such as 5G and artificial intelligence (AI). By critically analyzing the strengths and limitations of these approaches, this paper seeks to identify key challenges and propose directions for

future research to achieve truly seamless navigation in both indoor and outdoor environments.

2. Technological Landscape

Seamless indoor and outdoor navigation requires a cohesive integration of various positioning technologies that cater to different environments. To understand the challenges of achieving this, it is important to first explore the current landscape of both outdoor and indoor navigation systems.

2.1 Outdoor Navigation Technologies

Outdoor navigation has largely been dominated by satellite-based positioning systems, with the Global Positioning System (GPS) being the most widely used. GPS, which utilizes a constellation of satellites to provide real-time positioning and timing information, has revolutionized outdoor navigation by offering accurate location tracking on a global scale. Outdoor navigation is an exciting and quite varied topic; there are several types of environment that require different levels of autonomy and different kind of sensors.[3]

These systems are highly effective in open outdoor environments, where signals from satellites can travel unimpeded to the receiver. Advances in GPS technology have improved accuracy to within a few meters, which is sufficient for most applications like driving navigation, asset tracking, and outdoor mapping. However, satellite signals degrade significantly in dense urban areas (due to buildings blocking signals) and are completely unavailable indoors, leading to unreliable positioning in such environments

1. Global Positioning System (GPS):

Global positioning system uses a network of satellites to provide real-time location tracking anywhere on Earth. It operates independently of any internet connection, which

makes it ideal for outdoor navigation in remote areas. GPS offers a wide range of applications in outdoor areas, including military, weather forecasting, vehicle tracking, mapping, farming, and many more. In an outdoor environment, an exact location, velocity, and time can be determined by using GPS. Rather than emitting satellite signals, GPS receivers passively receive them. [5]

2. Global Navigation Satellite System (GNSS):

The Global Navigation Satellite System (GNSS) is the primary technology today for addressing the Position, Navigation and Timing (PNT) needs of society. Combining GNSS with other sensors, such as a self-contained inertial navigation system (INS), provides an ideal position and attitude determination solution in some environments [4]. The availability of multiple GNSS systems such as GPS, GLONASS, Galileo, and BeiDou ensures improved reliability, accuracy, and global coverage.

3. Geographic Information Systems (GIS):

Geographical Information Systems is used to capture, store, manipulate, analyze, and present spatial or geographic data. It allows for complex route planning, mapping, and spatial analysis. Spatial representations such as Geographical Information Systems based maps can use already developed interfaces as a powerful human-robot interaction tool, specially in environments like urban areas [6]. Geographical Information Systems are commonly used in navigation apps and tools to provide users with detailed map data, elevation profiles, and various route options.

2.2 Indoor Navigation Systems

Indoor Navigation Systems are designed to assist users in navigating indoor environments where traditional satellite-based systems are ineffective. They are crucial for improving accessibility, safety, and operational efficiency in complex indoor settings, offering real-time navigation and location services.

There has been a wide array of research on indoor positioning systems which utilize different kinds of physical layers such as electromagnetic waves (e.g. ultra wide band radio, RFID, wireless sensor networks), infrared, ultrasonic waves [7], vision, and optics. Indoor navigation is used in a variety of contexts, enhancing the overall user experience by providing seamless transitions between indoor and outdoor environments.

1. *Wi-Fi-based Positioning:* WiFi networks are widely used in various indoor environments such as homes, hotels, shopping malls, offices, campuses, and hospitals. Most smartphones, laptops, and other portable user devices currently support WiFi [8]. Wi-Fi positioning systems (WPS) can utilize either signal strength or fingerprinting methods, where the environment is pre-mapped based on signal patterns. The objective of WiFi indoor positioning is to achieve positioning detection and tracking tasks in complex environments using a wireless local area network composed of wireless access points (including wireless routers). It uses a

combination of empirical tests and signal propagation models to locate the connected mobile devices based on the location information of network nodes [8].

2. *Bluetooth Low Energy (BLE):* Bluetooth low energy (BLE) technology is a standard for wireless personal area network technology developed by Bluetooth Special Interest Group (SIG). BLE, as known as Bluetooth Smart, is a part of Bluetooth 4.0 standard, however, it has other differentiated various functions with compared to classic Bluetooth [9]. BLE beacons offer more precise positioning than Wi-Fi, typically with accuracy within 1-3 meters. BLE works by deploying a network of beacons that transmit signals detected by a user's device, allowing for proximity-based location tracking. Applications of BLE or Bluetooth Smart that are commonly discussed are as follows: health care, sports and fitness, car electronics, generic sensors, proximity sensing, wearable devices [9].

3. *Radio Frequency Identification (RFID):* Radio frequency identification (RFID) mainly uses radio frequency integrated circuits for two-way data communication of electromagnetic wave signals. RFID positioning systems are generally composed of RFID readers and electronic tags, and the two communicate with each other via a fixed protocol [8]. RFID was invented during the Second World War II and was first used by Britain to identify aircraft as part of the refinement of the radar [10]. RFID is commonly used in logistics and retail, where small RFID tags communicate with fixed readers to provide location data. While highly accurate within short ranges.

4. *Magnetic Field (MF):* Magnetic field variations inside buildings are found in iron, cobalt, or nickel and also occur from man made sources such as steel structures, electric power systems, and electronic appliances. If these variations or anomalies are identified, they provide a unique fingerprint or profile for places inside buildings where they exist [11]. These magnetic signature created by distortions which can be mapped and used for indoor positioning.

2.3 Limitations of Traditional Systems for Seamless Navigation:

The primary challenge in delivering seamless indoor and outdoor navigation lies in the significant differences between the technologies used for each environment. Outdoor systems like GPS rely on satellite signals that are entirely ineffective indoors, while indoor systems depend on localized infrastructure such as Wi-Fi access points, BLE beacons, or RFID tags. These systems are typically designed to operate in isolation, leading to a fragmented user experience when transitioning between indoor and outdoor environments.

For outdoor positioning, the GPS can always support with high accuracy, but Indoor Positioning Systems (IPS) face more challenges than outdoor positioning due to pervasive hindrances and interaction interference [5], multi-path effect, fading, reflecting, deep shadowing effect, and delay deterioration.

Additionally Indoor positioning is more challenging compared with outdoor positioning owing to the complex nature of indoor environments. The following factors must be considered: (1) the presence of physical obstacles, (2) signal fluctuation and noise, (3) wall blockage, (4) multiple available signal propagation paths, (5) non-line-of-sight distance (LoS) between two points, (6) movement of personnel and objects, (7) temperature variation, and (8) interference from electrical signals. Therefore, indoor positioning requires higher robustness and positioning accuracy[8].

The key to overcoming these challenges lies in hybrid solutions that integrate both indoor and outdoor technologies, ensuring smooth transitions and consistent accuracy regardless of the environment. This integration remains a central focus of ongoing research in the field.

3. Integration and Hybrid Solutions

The limitations of traditional indoor and outdoor navigation systems have led to the development of hybrid approaches that integrate multiple technologies to create seamless navigation experiences across diverse environments. These solutions aim to combine the strengths of individual technologies while minimizing their weaknesses, providing more accurate and continuous positioning for users.

Hybrid positioning system is a combination of GPS with LPS to track items in both outdoor and indoor environments. These systems were created to address the limitations of GPS, which is extremely accurate in open spaces but fails to perform well indoors or between tall buildings. Better position estimations can be determined by hybridizing the positioning information from different technologies. This way, the combination can enhance the system's accuracy and availability in diverse locations [12].

3.1 GPS and Wi-Fi Integration

A common hybrid approach involves combining GPS for outdoor navigation with Wi-Fi for indoor positioning. When a user transitions from outdoors to indoors, the system switches from GPS-based tracking to Wi-Fi-based positioning without noticeable disruption. Wi-Fi fingerprinting or signal triangulation techniques are used indoors to maintain location accuracy. In urban areas with weak GPS signals, Wi-Fi can also serve as a supplementary source of positioning data, improving accuracy through fusion with GPS.

3.2 IMU and GPS Integration

Integrating inertial sensors with GPS is another common hybrid technique. IMUs, which consist of accelerometers, gyroscopes, and magnetometers, can estimate a user's position through dead reckoning when GPS signals are unavailable (e.g., in tunnels or underground). This sensor fusion method compensates for GPS signal loss, although

IMUs can introduce drift over time, requiring periodic recalibration from GPS or other positioning data.

3.3 Bluetooth and UWB Integration

In environments where high accuracy is required, such as in industrial or medical settings, integrating BLE and UWB technologies can deliver superior positioning. BLE beacons provide general proximity-based positioning, while UWB enhances precision down to a few centimeters. The fusion of these technologies allows for both broad coverage and fine-grained location tracking.

3.4 Wi-Fi and Magnetic Field Integration

Wi-Fi and magnetic field integration in indoor navigation systems offers a hybrid approach that improves location accuracy and reliability in environments where traditional GPS is ineffective. The hybrid system exploits the ANN algorithm and combines Wi-Fi RSSI and magnetic field values, plus other algorithms such as BT and knowledge of the real floor map together to facilitate the achievement of real time user location tracking [13]. This combination leverages the widespread availability of Wi-Fi networks and the natural variations in the Earth's magnetic field caused by building materials, creating a robust solution for indoor positioning.

4. Case Studies and Implementations

Several real-world systems and case studies demonstrate the effectiveness of hybrid solutions in seamless indoor-outdoor navigation:

- **HERE Technologies:** HERE, a leading provider of mapping and location data, has developed a hybrid solution that integrates GPS, Wi-Fi, and Bluetooth for seamless navigation. HERE's technology is used in smart city applications, where the system dynamically switches between GPS outdoors and Wi-Fi/Bluetooth indoors. The platform also incorporates sensor fusion techniques to improve accuracy in challenging environments such as dense urban areas or underground parking structures.
- **NavCog:** Developed by Carnegie Mellon University, NavCog is an example of a hybrid system designed for indoor navigation, particularly for visually impaired users. The system uses a combination of BLE beacons, Wi-Fi, and smartphone sensors to guide users through complex indoor environments like hospitals and universities. It provides voice-based instructions, dynamically switching between different positioning technologies depending on the environment.
- **Apple's Indoor Positioning with iBeacons:** Apple has implemented iBeacon technology as part of its indoor positioning framework. iBeacons are small BLE transmitters that enable precise location tracking indoors. When combined with GPS for outdoor navigation, this hybrid approach allows iOS devices to switch between outdoor and indoor positioning seamlessly, offering a smooth user

experience for apps like Maps and indoor navigation systems in retail stores and airports.

5. Recent Advancements

In recent years, significant technological advancements have emerged that hold the potential to transform the field of seamless indoor and outdoor navigation. These cutting-edge technologies not only address the limitations of traditional navigation systems but also pave the way for more precise, efficient, and context-aware solutions. This section explores innovations such as 5G, artificial intelligence (AI) and machine learning (ML) models, and visual positioning systems, while also analyzing recent research in seamless navigation algorithms and hardware improvements. Additionally, the potential of augmented reality (AR) and wearable devices to enhance user experiences in navigation is discussed.

5.1 5G Signals

5G has attracted intensive attention due to its high speed, high reliability, and low latency in communication. Compared with previous cellular technologies [15]. The higher density of 5G base stations allows for more precise positioning data, improving the accuracy of outdoor navigation. It has also been envisioned that these innovative technologies of 5G are beneficial to wireless positioning, which have drawn a lot of researches on the positioning based on 5G NR signals [14].

5.2 Artificial Intelligence and Machine Learning Models

AI and ML models have played a key role in advancing seamless navigation by improving the accuracy and adaptability of positioning systems. One of the earliest frameworks that explored the use of machine learning (ML) for WiFi fingerprinting based indoor navigation with mobile embedded devices was LearnLoc [16] in 2015. This framework explored multiple ML algorithms including K Nearest Neighbor (KNN) and Deep Neural Networks (DNN) deployed on Android smartphones and found that the DNN approach provided the highest accuracy that varied between 1 to 3 meters on average. LearnLoc was also the first framework to optimize energy efficiency of a smartphone-based indoor navigation solution during deployment [17].

5.3 Augmented Reality

Augmented reality (AR) represent a rapidly growing area of innovation in navigation. It is a visual enhance technology whereby the computer-generated graphics being superimposed on the user's real view to create the mixture of virtual and reality effects [18]. These technologies enhance the user experience by providing real-time, context-aware information overlaid on the user's view, enabling more intuitive navigation.

- **AR Navigation:** AR-based navigation systems leverage the camera and sensors of smartphones or AR glasses to provide visual guidance. By overlaying arrows, markers, or digital signs onto the real-world environment, AR systems enhance user understanding of their surroundings and improve the accuracy of navigation in both indoor and

outdoor settings. AR also offers a more immersive experience, making navigation more engaging and user-friendly.

6. Challenges and Gaps

Despite recent advancements in navigation technologies, there remain significant challenges and gaps that hinder the realization of truly seamless indoor and outdoor navigation systems. These issues range from technical limitations in positioning accuracy and power consumption to concerns about privacy and data security. This section explores the most pressing challenges and highlights the areas where further research and development are needed.

6.1 Technical Challenges

While advancements in sensor fusion, 5G, AI/ML models, and visual positioning systems (VPS) have improved navigation performance, several technical barriers persist:

- **Accuracy and Reliability:** One of the primary challenges in achieving seamless navigation is ensuring consistent accuracy across different environments. GPS offers high precision outdoors, but its accuracy deteriorates in dense urban areas or under heavy foliage. Indoor positioning systems, such as Wi-Fi or Bluetooth, often struggle to provide reliable accuracy within a few meters, which can result in disjointed user experiences. Even visual positioning systems, which rely on image recognition and landmarks, can face challenges in low-light conditions or environments with rapidly changing visual elements.
- **Signal Interference and Multipath Effects:** Indoor environments are prone to signal interference and multipath effects, where signals bounce off walls or objects, leading to inaccurate location estimates. This is especially problematic for technologies like Wi-Fi and Bluetooth, which are sensitive to environmental changes. Even UWB, known for its accuracy, can experience signal degradation in complex indoor settings.

6.2 Integration and Scalability

- **Fragmented Infrastructure:** Seamless navigation systems require the integration of various technologies and infrastructure components, such as GPS satellites, Wi-Fi access points, Bluetooth beacons, and UWB transmitters. However, not all environments are equipped with the necessary infrastructure to support these technologies. For example, many indoor locations do not have sufficient beacon coverage or lack consistent Wi-Fi signals, which can limit the effectiveness of hybrid solutions. Deploying and maintaining the necessary infrastructure across different environments is both costly and logistically challenging.
- **Standardization Issues:** Another major challenge is the lack of standardization across navigation technologies. With different vendors and systems using proprietary protocols, it can be difficult to achieve interoperability between indoor and outdoor systems. For example,

some indoor positioning systems rely on specific Bluetooth or RFID standards that may not work with other technologies, hindering seamless integration. Without industry-wide standards for navigation technology, achieving true seamless navigation across environments is challenging.

6.3 Privacy and Data Security Concerns

As navigation systems become more integrated and data-driven, privacy and security concerns are becoming increasingly prominent. Seamless navigation often involves collecting and processing vast amounts of data from users' devices, including location history, sensor readings, and behavioral patterns.

- **Data Collection and User Consent:** One of the primary concerns is the collection of location data without explicit user consent. Many navigation systems continuously track users, even when they are not actively navigating, raising concerns about privacy and surveillance. Ensuring that users have control over their data, including the ability to opt-in or out of tracking, is essential for maintaining trust in these systems.
- **Data Security:** Seamless navigation systems often rely on wireless communication channels (e.g., Wi-Fi, Bluetooth) to transmit positioning data, making them vulnerable to hacking, spoofing, or data breaches. For example, location spoofing attacks can disrupt navigation systems by providing false position data, potentially leading users astray. Ensuring that these communication channels are secure and encrypted is critical for protecting users' data and preventing malicious attacks.

6.4 Usability and User Experience Challenges

- **Complexity of Multi-Sensor Systems:** While multi-sensor systems improve navigation accuracy, they can also introduce complexity in terms of user experience. For example, frequent handoffs between different technologies (e.g., GPS to Wi-Fi) can result in delays or fluctuations in the user interface, which may confuse or frustrate users. Additionally, users may be required to adjust device settings or permissions, such as enabling location services, Wi-Fi, or Bluetooth, to ensure the system functions correctly.
- **Over-Reliance on Visual Feedback:** Systems like visual positioning systems (VPS) and augmented reality (AR) navigation rely heavily on visual feedback, requiring users to constantly hold up their devices or wear AR glasses. This can lead to user fatigue and reduce the overall practicality of the navigation system, particularly in fast-paced environments or situations where hands-free operation is preferred. Finding a balance between visual and non-visual cues, such as voice guidance or haptic feedback, is essential to improve usability.

7. Potential Applications

Seamless indoor-outdoor navigation systems have a wide range of potential applications, benefiting various industries and enhancing user experience in complex environments.

Smart Cities and Urban Planning: As cities become smarter, seamless navigation systems can assist in urban planning by providing real-time data on pedestrian and vehicle movement, enabling better traffic management and efficient public transportation systems. These systems also allow citizens to navigate complex urban environments, transitioning between indoor and outdoor spaces effortlessly.

Healthcare and Hospitals: Navigation systems can help patients, visitors, and healthcare staff easily find their way through sprawling hospital complexes. This reduces stress for patients and ensures efficient movement within the hospital, particularly in emergencies where time is critical.

Airports and Transportation Hubs: Large, multi-terminal airports and transport hubs can be overwhelming for travelers. Indoor-outdoor navigation systems can guide passengers from outdoor parking areas or drop-off points to their gates, baggage claim, or other important facilities seamlessly. They can also provide real-time updates on flight or transport schedules.

Tourism and Cultural Sites: In tourist destinations, museums, or historical landmarks, a seamless navigation system could offer guided tours that transition between indoor exhibits and outdoor pathways, providing tourists with contextual information in real-time, based on their location.

Autonomous Vehicles and Drones: For autonomous systems, seamless navigation is critical to ensure smooth transitions between outdoor GPS-based navigation and indoor environments where GPS signals are weak. Applications include delivery drones, autonomous cars in smart cities, and robots for last-mile deliveries.

Military and Defense: Seamless navigation systems are highly beneficial in military operations, where soldiers and equipment must navigate through both indoor and outdoor environments in unfamiliar territories. They can help in planning and executing complex missions.

8. Conclusion

- Seamless indoor and outdoor navigation represents a rapidly evolving field, driven by

advancements in sensor technologies, wireless communication, and artificial intelligence. Throughout this review, we have examined the key technologies that enable outdoor and indoor navigation, such as GPS, Wi-Fi, Bluetooth, and UWB, and explored the hybrid solutions that integrate these systems to bridge the gap between different environments. While promising progress has been made, challenges such as signal interference, power consumption, and privacy concerns continue to hinder the development of truly seamless navigation systems. Moreover, technical issues like inconsistent accuracy and the complexity of sensor fusion further highlight the need for continued research.

- The future of seamless navigation looks bright, with the potential of emerging technologies such as 6G networks, AI-driven algorithms, and augmented reality. These advancements, coupled with the growth of smart city infrastructure and IoT-enabled environments, promise to make navigation more precise, responsive, and context-aware. Real-world applications such as autonomous vehicles, wearable devices, and smart buildings will benefit from these innovations, transforming industries from transportation and healthcare to logistics and retail.
- As society becomes more connected, the potential impact of seamless navigation on daily life will be profound. It will enhance urban mobility, improve accessibility for individuals with disabilities, optimize logistics and supply chains, and enable the widespread adoption of autonomous systems. However, achieving this vision requires addressing the current challenges and gaps in technology, infrastructure, and user experience. Through continued research, development, and collaboration across industries, the path towards seamless navigation can unlock a future where location-based services are intuitive, reliable, and deeply integrated into our environments.

9. REFERENCES

- [1] Baus, Jörg, Antonio Krüger, and Wolfgang Wahlster. "A resource-adaptive mobile navigation system." *Proceedings of the 7th international conference on Intelligent user interfaces*. 2002.
- [2] Wang, Xuyu, et al. "CA2T: Cooperative antenna arrays technique for pinpoint indoor localization." *Procedia Computer Science* 34 (2014): 392-399.
- [3] Panzieri, Stefano, Federica Pascucci, and Giovanni Ulivi. "An outdoor navigation system using GPS and inertial platform." *IEEE/ASME transactions on Mechatronics* 7.2 (2002): 134-142.
- [4] iang, Wei, et al. "Seamless indoor-outdoor navigation based on GNSS, INS and terrestrial ranging techniques." *The Journal of Navigation* 70.6 (2017): 1183-1204.
- [5] H. Piontek, M. Seyer, and J. Kaiser, "Improving the accuracy of ultrasound based localisation systems", *Personal and Ubiquitous Computing*, 11(6):439-449, 2007.
- [6] Maantay J., Ziegler, J. 'GIS for the urban environment', *Environmental Systems Research Inst.*, 2005.
- [7] Bluetooth, Core Specification v4.1, Bluetooth Special Interest Group,
- [8] Dec. 2013.
- [9] J. Haverinen and A. Kemppainen, "Global indoor self-localization based on the ambient magnetic field," *Robot. Auton. Syst.*, vol. 57, no. 10, pp. 1028-1035, Oct. 2009.
- [10] S. Pasricha et al, "LearnLoc: A framework for smart indoor localization with embedded mobile devices" *ACM/IEEE CODES+ISSS*, Oct 2015
- [11] Chen, Liang, et al. "Carrier phase ranging for indoor positioning with 5G NR signals." *IEEE Internet of Things Journal* 9.13 (2021): 10908-10919.
- [12] El-Sheimy, Naser, and You Li. "Indoor navigation: State of the art and future trends." *Satellite Navigation* 2.1 (2021): 7.
- [13] Pasricha, Sudeep. "AI and Machine Learning Driven Indoor Localization and Navigation with Mobile Embedded Systems." *arXiv preprint arXiv:2408.04797* (2024).
- [14] NSC, J., et al. "Indoor Positioning System: A Review." *International Journal of Advanced Computer Science and Applications* 13.6 (2022).
- [15] Shang, Shuang, and Lixing Wang. "Overview of WiFi fingerprinting-based indoor positioning." *IET Communications* 16.7 (2022): 725-733.
- [16] Bai, Yuntian Brian, et al. "Overview of RFID-Based Indoor Positioning Technology." *GSR* 2012 (2012).
- [17] Fernández, Pedro J., José Santa, and Antonio F. Skarmeta. "Hybrid positioning for smart spaces: proposal and evaluation." *Applied Sciences* 10.12 (2020): 4083.
- [18] Bai, Yuntian Brian, Tao Gu, and Andong Hu. "Integrating Wi-Fi and magnetic field for fingerprinting based indoor positioning system." *2016 International Conference on Indoor Positioning and Indoor Navigation (IPIN)*. IEEE, 2016.
- [19] Huey, Low Chee, Patrick Sebastian, and Micheal Driebeg. "Augmented reality based indoor positioning navigation tool." *2011 IEEE Conference on Open Systems*. IEEE, 2011.
- [20] Abel KD, Misra S, Agrawal A, Maskeliunas R, Damasevicius R. Data security using cryptography and steganography technique on the cloud. *In Computational Intelligence in Machine Learning: Select Proceedings of ICCIML 2021 2022 Mar 3* (pp. 475-481). Singapore: Springer Nature Singapore.
- [21] Vijarana M, Agrawal A, Sharma MM. Task scheduling and load balancing techniques using genetic algorithm in cloud computing. *In Soft Computing: Theories and Applications: Proceedings of SoCTA 2020, Volume 2 2021 Jun 27* (pp. 97-105). Singapore: Springer Singapore.
- [22] Sharma MM, Agrawal A. Test case design and test case

- prioritization using machine learning. International Journal of Engineering and Advanced Technology. 2019 Oct;9(1):2742-8.
- [23] Agrawal A, Arora R, Arora R, Agrawal P. Applications of artificial intelligence and internet of things for detection and future directions to fight against COVID-19. In Emerging Technologies for Battling Covid-19: Applications and Innovations 2021 Feb 16 (pp. 107-119). Cham: Springer International Publishing.
- [24] Dalal S, Jaglan V, Agrawal A, Kumar A, Joshi SJ, Dahiya M. Navigating urban congestion: Optimizing LSTM with RNN in traffic prediction. In AIP Conference Proceedings 2024 Dec 20 (Vol. 3217, No. 1, p. 030005). AIP Publishing LLC.
- [25] Dalal S, Lilhore UK, Faujdar N, Simaiya S, Agrawal A, Rani U, Mohan A. Enhancing thyroid disease prediction with improved XGBoost model and bias management techniques. Multimedia Tools and Applications. 2025 May;84(16):16757-88.
- [26] Naphtali JH, Misra S, Wejin J, Agrawal A, Oluranti J. An intelligent hydroponic farm monitoring system using IoT. In Data, Engineering and Applications: Select Proceedings of IDEA 2021 2022 Oct 12 (pp. 409-420). Singapore: Springer Nature Singapore.
- [27] Dembińska, I., Dalal, S., Lilhore, U. K., & Radulescu, M. (2024). Developing Hybrid Lstm Based Platform for Efficient Freight Distribution in Urban Areas. SSRN, 4899319.0, 1-37.
- [28] Devi, N., Dalal, S., Solanki, K., Lilhore, U. K., Simaiya, S., & Nuristani, N. (2024). A systematic literature review for load balancing and task scheduling techniques in cloud computing. Artificial Intelligence Review, 57.0(10), 276.
- [29] Edeh, M. O., Dalal, S., Alhussein, M., Aurangzeb, K., Seth, B., & Kumar, K. (2024). A novel deep learning model for predicting marine pollution for sustainable ocean management. PeerJ Computer Science, 10.0, e2482.
- [30] Kalonia, A., Malik, N., & Dalal, S. (2024). Integrating Zero-Shot Learning with Convolutional neural network in predicting dissolved oxygen & Salinity in river water. International Journal of Computing and Digital Systems, 16.0(1), 1-15.
- [31] Kaur, N., Mittal, A., Lilhore, U. K., Simaiya, S., Dalal, S., & Sharma, Y. K. (2024). An adaptive mobility-aware secure handover and scheduling protocol for Earth Observation (EO) communication using fog computing. Earth Science Informatics, 17.0(3), 2429-2446.
- [32] Lilhore, U. K., Dalal, S., & Simaiya, S. (2024). A cognitive security framework for detecting intrusions in IoT and 5G utilizing deep learning. Computers & Security, 136.0, 103560.
- [33] Lilhore, U. K., Dalal, S., Dutt, V., & Radulescu, M. (2024). Industrial Quantum Computing: Algorithms, Blockchains, Industry 4.0. Walter de Gruyter GmbH & Co KG.
- [34] Lilhore, U. K., Dalal, S., Faujdar, N., Margala, M., Chakrabarti, P., Chakrabarti, T., Simaiya, S., Kumar, P., Thangaraju, P., & Velmurugan, H. (2024). Author Correction: Hybrid CNN-LSTM model with efficient hyperparameter tuning for prediction of Parkinson's disease. Scientific Reports, 14.0, 9335.
- [35] Lilhore, U. K., Dalal, S., Faujdar, N., Margala, M., Chakrabarti, P., Chakrabarti, T., Simaiya, S., Kumar, P., Thangaraju, P., & Velmurugan, H. (2024). Hybrid CNN-LSTM model with efficient hyperparameter tuning for prediction of Parkinson's disease (Vol 13, 14605, 2023). SCIENTIFIC REPORTS, 14.0(1).
- [36] Lilhore, U. K., Dalal, S., Faujdar, N., Simaiya, S., Dahiya, M., Tomar, S., & Hashmi, A. (2024). Unveiling the prevalence and risk factors of early stage postpartum depression: a hybrid deep learning approach. Multimedia Tools and Applications, 83.0(26), 68281-68315.
- [37] Lilhore, U. K., Dalal, S., Varshney, N., Sharma, Y. K., Rao, K. B., Rao, V. M., Alroobaea, R., Simaiya, S., Margala, M., & Chakrabarti, P. (2024). Prevalence and risk factors analysis of postpartum depression at early stage using hybrid deep learning model. Scientific reports, 14.0(1), 4533.
- [38] Joaquim MM, Kamble AW, Misra S, Badejo J, Agrawal A. IoT and machine learning based anomaly detection in WSN for a smart greenhouse. In Data, Engineering and Applications: Select Proceedings of IDEA 2021 2022 Oct 12 (pp. 421-431). Singapore: Springer Nature Singapore.
- [39] Vijarana M, Udbhav M, Gupta S, Kumar R, Agarwal A. Global cost of living in different geographical areas using the concept of NLP. In Handbook of Research on Applications of AI, Digital Twin, and Internet of Things for Sustainable Development 2023 (pp. 419-436). IGI Global.
- [40] Gupta, S., Vijarana, M., Agarwal, A., Yadav, A., Mandadi, R. R., & Panday, S. (2024). Big Data Analytics in Healthcare Sector: Potential Strength and Challenges. In Advancement of Data Processing Methods for Artificial and Computing Intelligence (pp. 41-67). River Publishers.
- [41] Afah, D., Gautam, A., Misra, S., Agrawal, A., Damaševičius, R., & Maskeliūnas, R. (2021, February). Smartphones verification and identification by the use of fingerprint. In International Conference on Emerging Applications of Information Technology (pp. 365-373). Singapore: Springer Singapore.
- [42] Deore, H., Agrawal, A., Jaglan, V., Nagpal, P., & Sharma, M. M. (2020). A new approach for navigation and traffic signs indication using map integrated augmented reality for self-driving cars. Scalable Computing: Practice and Experience, 21(3), 441-450.
- [43] Arora, S., Dalal, S., & Sethi, M. N. (2024). Interpretable features of YOLO v8 for Weapon Detection-Performance driven approach. 2024 International Conference on Emerging Innovations and Advanced Computing (INNOCOMP), 87-93.
- [44] Arpna, Nikhil, & Dalal, S. (2024). Optimizing Linear Regression model in Water Hardness Prediction for Industry 4.0. Trends in Mechatronics Systems: Industry 4.0 Perspectives, 73-91.
- [45] Bishnoi, A., Bharadwaj, S., & Dalal, S. (2024). CROP DISEASE IDENTIFICATION THROUGH CROP LEAVES USING MACHINE LEARNING. International Journal of Engineering Sciences & Emerging Technologies, 11.0(4), 730-737.
- [46] Dahiya, N., Malik, A., Dalal, S., Jaglan, V., & Shaheen, M.

- (2024). Highlighting major issues with quantum computing in healthcare. *Industrial Quantum Computing: Algorithms, Blockchains, Industry 4.0*, 53.
- [47] Dalal, S. (2024). Optimizing Convolutional neural network in predicting water quality of river water.. *Frontiers in Health Informatics*, 13.0(4).
- [48] Dalal, S., Dahiya, N., Jaglan, V., Koundal, D., & Le, D. N. (2024). *Reshaping Intelligent Business and Industry: Convergence of AI and IoT at the Cutting Edge*. John Wiley & Sons.
- [49] Dalal, S., Dahiya, N., Verma, A., Faujdar, N., Rathee, S., Jaglan, V., Rani, U., & Le, D. N. (2024). A Deep Learning Framework with Learning without Forgetting for Intelligent Surveillance in IoT-enabled Home Environments in Smart Cities. *Recent Advances in Computer Science and Communications*.
- [50] Dalal, S., Jaglan, V., Agrawal, A., Kumar, A., Joshi, S. J., & Dahiya, M. (2024). Navigating urban congestion: Optimizing LSTM with RNN in traffic prediction. *AIP Conference Proceedings*, 3217.0(1), 030005.
- [51] Dalal, S., Kumar, A., Lilhore, U. K., Dahiya, N., Jaglan, V., & Rani, U. (2024). Optimizing cloud service provider selection with firefly-guided fuzzy decision support system for smart cities. *Measurement: Sensors*, 35.0, 101294.
- [52] Dalal, S., Lilhore, U. K., Faujdar, N., Samiya, S., Jaglan, V., Alroobaea, R., Shaheen, M., & Ahmad, F. (2024). Optimising air quality prediction in smart cities with hybrid particle swarm optimization-long-short term memory-recurrent neural network model. *IET Smart Cities*, 6.0(3), 156-179.
- [53] Dalal, S., Lilhore, U. K., Radulescu, M., Simaiya, S., Jaglan, V., & Sharma, A. (2024). A hybrid LBP-CNN with YOLO-v5-based fire and smoke detection model in various environmental conditions for environmental sustainability in smart city. *Environmental Science and Pollution Research*, 1-18.
- [54] Dalal, S., Lilhore, U. K., Sharma, N., Arora, S., Simaiya, S., Ayadi, M., Almujaali, N. A., & Ksibi, A. (2024). Improving smart home surveillance through YOLO model with transfer learning and quantization for enhanced accuracy and efficiency. *PeerJ Computer Science*, 10.0, e1939.
- [55] Dalal, S., Lilhore, U. K., Simaiya, S., Radulescu, M., & Belascu, L. (2024). Improving efficiency and sustainability via supply chain optimization through CNNs and BiLSTM. *Technological Forecasting and Social Change*, 209.0, 123841.
- [56] Dalal, S., Poongodi, M., & Lilhore, U. (2024). Optimized LightGBM Model for Security and Privacy Issues in Cyber-Physical Systems (vol 34, e4771, 2023). *Transactions On Emerging Telecommunications Technologies*, 35.0(11).
- [57] Jain, V., Raman, M., Agrawal, A., Hans, M., & Gupta, S. (Eds.). (2024). *Convergence Strategies for Green Computing and Sustainable Development*. IGI Global.
- [58] Agrawal, A., & Jain, A. (2020). Speech emotion recognition of Hindi speech using statistical and machine learning techniques. *Journal of Interdisciplinary Mathematics*, 23(1), 311-319.
- [59] Singh A, Prakash N, Jain A. A review on prevalence of worldwide COPD situation. *Proceedings of Data Analytics and Management: ICDAM 2022*. 2023 Mar 25:391-405.
- [60] Singh A, Payal A. CAD diagnosis by predicting stenosis in arteries using data mining process. *Intelligent Decision Technologies*. 2021 Feb;15(1):59-68.
- [61] Singh A, Prakash N, Jain A. A comparative study of metaheuristic-based machine learning classifiers using non-parametric tests for the detection of COPD severity grade.
- [62] Singh A, Prakash N, Jain A. Chronic Diseases Prediction using two different pipelines TPOT and Genetic Algorithm based models: A Comparative analysis. *InProceedings of the 2024 9th International Conference on Machine Learning Technologies 2024 May 24* (pp. 175-180).